| Order Name |
| --- |
| 14-3-3 PROTEIN, SPINAL FLUID |
| 2,3-DINOR-11 BETA-PROSTAGLANDIN F2 ALPHA, URINE |
| 5-FLUCYTOSINE, SERUM |
| ACYLCARNITINES, QUANTITATIVE, PLASMA |
| ADALIMUMAB QUANTATIVE WITH REFLEX TO ANTIBODY, SERUM |
| ADMARK PHOSPHO-TAU/TOTAL-TAU/A BETA 42, ANALYSIS & INTER, CSF (SYMPTOMATIC) |
| ALPHA-1-ANTITRYPSIN, RANDOM, FECES |
| ALPHA-FETOPROTEIN (AFP) L3% AND TOTAL, HEPATOCELLULAR CARCINOMA TUMOR MARKER, SERUM |
| ALPHA-SUBUNIT PITUITARY TUMOR MARKER, SERUM |
| ANTIDEPRESSANT DRUG SCREEN, UR., QUANT |
| ANTI-HMGCR AUTOANTIBODIES |
| ANTI-HMGCR AUTOANTIBODIES |
| ARIPIPRAZOLE (ABILIFY) |
| ASPERGILLUS FUMIGATUS, IGG ANTIBODIES, SERUM |
| CHLORPROMAZINE (THORAZINE) |
| CIRCULATING TUMOR CELLS (CTC) FOR COLORECTAL CANCER BY CELLSEARCH, BLOOD |
| CLOZAPINE |
| CNS DEMYELINATING DISEASE EVALUATION, SERUM |
| COLD AGGLUTININ |
| CORTISOL, SALIVA |
| CRYOGLOBULIN AND CRYOFIBRINOGEN PANEL, SERUM AND PLASMA |
| CU INDEX |
| F2-ISOPROSTANES, URINE |
| FACTOR VIII INHIBITOR EVALUATION |
| FAT, FECES |

| |
|---|
| FATTY ACID PROFILE, PEROXISOMAL (C22-C26), SERUM |
| FIBROTEST-ACTITEST, SERUM |
| FUNGITELL, BAL |
| GANGLIOSIDE ANTIBODY PANEL, SERUM |
| GANGLIOSIDE ANTIBODY PANEL, SERUM |
| GLUTAMIC ACID DECARBOXYLASE (GAD65) ANTIBODY ASSAY, SPINAL FLUID |
| HEMOGLOBIN A1C, BLOOD |
| HUNGTINGTON DISEASE, MOLECULAR ANALYSIS |
| IMMUNOGLOBULIN TOTAL LIGHT CHAINS, URINE |
| JC VIRUS, MOLECULAR DETECTION, PCR, SPINAL FLUID |
| JCV DNA, JOHN CUNNINGHAM VIRUS, POLYMAVIRUS, PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY (PML) |
| LACOSAMIDE, SERUM |
| METANEPHRINES, FRACTIONATED, FREE, PLASMA |
| MPL S505, MPL W515, MYELOPROLIFERATIVE LEUKEMIA VIRUS ONCOGENE |
| MUSCLE-SPECIFIC KINASE (MUSK) AUTOANTIBODY, SERUM |
| MYASTHENIA GRAVIS (MG)/LAMBERT-EATON SYNDROME (LES) EVALUATION |
| MYELIN OLIGODENDROCYTE GLYCOPROTEIN (MOG-IGG1) FLUORESCENCE-ACTIVATED CELL SORTING (FACS) ASSAY, SERUM |
| MYOMARKER PANEL 3 |
| NEUROMYELITIS OPTICA (NMO)/AQUAPORIN-4-IGG FLUORESCENCE-ACTIVATED CELL SORTING (FACS) ASSAY, SERUM |
| NEUROMYELITIS OPTICA (NMO)/AQUAPORIN-4-IGG FLUORESCENCE-ACTIVATED CELL SORTING (FACS) ASSAY, SPINAL FLUID |
| N-METHYLHISTAMINE, 24 HOUR, URINE |
| NT-PRO B-TYPE NATRUIRETIC PEPTIDE (BNP), SERUM |
| ORGANIC ACIDS SCREEN, URINE |
| PANCREATIC POLYPEPTIDE, PLASMA |

| |
|---|
| PARANEOPLASTIC, AUTOANTIBODY EVALUATION, SERUM |
| PARANEOPLASTIC, AUTOANTIBODY EVALUATION, SPINAL FLUID |
| PARATHYROID HORMONE-RELATED PEPTIDE (PTHRP), PLASMA |
| PLATELET ANTIBODY SCREEN, SERUM |
| PNH, PI-LINKED ANTIGEN, BLOOD |
| PROMETHEUS IBD SGI DIAGNOSTIC |
| PROMETHEUS THIOPURINE METABOLITES |
| QUETIAPINE (SEROQUEL) |
| RIBOFLAVIN (VITAMIN B2), PLASMA |
| SEROTONIN RELEASE ASSAY, UNFRACTIONATED HEPARIN |
| ST2, SERUM |
| T-CELL RECEPTOR GENE REARRANGEMENT, PCR, BONE MARROW |
| THIOPURINE METHYLTRANSFERASE (TPMT) AND NUDIX HYDROLASE (NUDT15) GENOTYPING |
| THYROID-STIMULATING IMMUNOGLOBULIN (TSI), SERUM |
| TROPHERYMA WHIPPLEI, MOLECULAR DETECTION, PCR, BLOOD |
| TROPHERYMA WHIPPLEI, MOLECULAR DETECTION, PCR, FLUIDS, TISSUE |
| TRYPTASE, SERUM |
| UROVYSION FOR DETECTION OF BLADDER CANCER, URINE |